

Art. no. **2980C**



Art. no. **2980C**

Stationary pneumatic oil dispensing kit for 208 l - drums, consisting of:

- Pneumatic double acting 3:1 - oil pump, art. no. 2020 (see page 41!);
- Plastic bung adapter for the fixation of pumps on drums, art. no. 4340;
- 3 m - rubber hose Ø 1/2", art. no. 28703;
- Oil control gun with 1/2" BSP (M) inlet swivel, rigid outlet and automatic anti-drip nozzle, art. no. 2185;
- Pressure regulator with manometer and condensation water separator, art. no. 7180.

Art. no. **2982**



Art. no. **2982**

Stationary pneumatic oil dispensing kit with electronic oil flow meter, for 208 l - drums, consisting of:

- Pneumatic double acting 3:1 - oil pump, art. no. 2020 (see page 41!);
- Plastic bung adapter for the fixation of pumps on drums, art. no. 4340;
- 3 m - rubber hose Ø 1/2", art. no. 28703;
- Electronic flow meter for oil, with control gun, rubber protection guard, trigger guard, rigid outlet, automatic anti-drip nozzle and inlet swivel 1/2" BSP (M), art. no. 2826 (see page 62!);
- Pressure regulator with manometer and condensation water separator, art. no. 7180.

MID MI-005  
Approved



Art. no. **2987MID**

Art. no. **2987MID**

Stationary pneumatic oil dispensing kit, **approved for legal transactions** according to the European Directive 2014/32/EU, better known as **Measurement Instrument Directive MID MI-005**, consisting of:

- Pneumatic double acting 5:1 - oil pump, art. no. 2061 (see page 44!);
- Wall bracket in painted steel, for the fixation of the pump;
- Air separator kit with automatic pump stop device (stopping the pump as soon as air is sucked into the suction line due to an empty drum or tank), art. no. 2051, approved according to OIML R117-1 (see page 44!);
- manometer for outlet pressure control;
- Suction tube in galvanized steel, Ø 40 mm, length 950 mm, with 90° - curved connection 1" BSP (M), with foot valve, at. no. 2204, and bung adapter 2" BSP (M) x 40 mm, art. no. 4340, suitable for the use in 208 l - drums;
- 1.5 m - rubber suction hose 1", connections 1" BSP (F-F), art. no. 2205;
- 3 m - rubber hose Ø 1/2", art. no. 28703;
- Electronic oval gears flow meter for oil, approved for legal transactions **according to MID MI-005, Directive 2014/32/EU**, with control gun, rubber protection guard, trigger guard, oil flow control tube with transparent insert, flexible rubber outlet, Ø 1/2", with curved rigid 90° stem, automatic anti-drip nozzle and inlet swivel 1/2" BSP (M), art. no. 2545 (see page 65!).